

Bass Bridges


"Multi-Tonal" Series

303/404/J510 series of bass bridge assemblies allows bass players to "Dial in" their own individual sound that will suit their unique playing styles and sonic qualities of their chosen bass.

303 models have base-plates made from a specially blended Aluminum Alloy we call "RES-O-LITE"™. Due to the inherent "multi frequency" resonance transfer properties of "RES-O-LITE"™, a wider range of frequencies encompassing ground pounding bass to articulate highs are transmitted to the body of the guitar.

404/J510 have hard zinc base-plates that impart a flatter frequency response. This is sometimes preferred by bass players with active system where EQ can be adjusted to their specific needs.


Available saddle options "SJ" (Steel), "BO" (Brass) and AO ("RES-O-LITE"™). Now you can design your own Bass Bridge for your unique sound. Never before has such a diverse "Tonal palette" been available for this most expressive of stringed instruments.



303SJ




Finishes C.GG.CK,
XN.XC.XG
Duralumin plate,
Steel saddle



303SJ-4

4-strings


String pitch 19mm



303SJ-5

5-strings


String pitch 18mm



303SJ-6

6-strings

String pitch 18mm



303BO




Finishes C.GG.CK,
XN.XC.XG
Duralumin plate,
Brass saddle



303BO-4

4-strings


String pitch 19mm



303BO-5

5-strings


String pitch 18mm



303BO-6

6-strings


String pitch 18mm



303AO




Finishes C.GG.CK,
XN.XC.XG
Duralumin plate,
Duralumin saddle



303AO-4

4-strings


String pitch 19mm



303AO-5

5-strings


String pitch 18mm



303AO-6

6-strings


String pitch 18mm



404SJ




Finishes C.GG.CK.
XN.XC.XG
Hard zinc plate,
steel saddle



404SJ-4

4-strings


String pitch 19mm



404SJ-5

5-strings


String pitch 18mm



404BO




Finishes C.GG.CK.
XN.XC.XG
Hard zinc plate,
brass saddle



404BO-4

4-strings


String pitch 19mm



404BO-5

5-strings

String pitch 18mm



404AO




Finishes C.GG.CK.
XN.XC.XG
Hard zinc plate,
Duralumin saddle



404AO-4

4-strings


String pitch 19mm



404AO-5

5-strings


String pitch 18mm



J510SJ




Finishes C.GG.CK.
XN.XC.XG
Hard zinc plate,
Steel saddle



J510SJ-4

4-strings


String pitch 19mm



J510SJ-5

5-strings

String pitch 18mm



J510BO




Finishes C.GG.CK.
XN.XC.XG
Hard zinc plate,
brass saddle



J510BO-4

4-strings


String pitch 19mm



J510BO-5

5-strings

String pitch 18mm



J510AO




Finishes C.GG.CK.
XN.XC.XG
Hard zinc plate,
Duralumin saddle



J510AO-4

4-strings


String pitch 19mm



J510AO-5

5-strings

String pitch 18mm




Finishes : N-Nickel, C-Chrome, GG-Gold, CK-Cosmo Black, XN-Excellent Nickel, XC-Excellent Chrome, XG-Excellent Gold

510 Series


510B

Finishes | C.GG.CK
Steel saddle




510B-4

String pitch 18mm




String pitch 19mm




4-strings

510B-5

String pitch 18mm



String pitch 19mm





5-strings

Production of 18mm and 19mm string spacing are available. Specify the pitch when placing order.


201B-4

Finishes | C.GG.CK
Brass saddle,
string pitch 19mm



203B-4

Finishes | N.C.GG.CK
Brass saddle,
string pitch 19mm



205B-5

Finishes | N.C.GG.CK
5-strings
Brass saddle,
string pitch 18mm

